



Ultimate Outswing French Door G2

Replacement Parts

Specifications and technical data are subject to change without notice.

Numbers listed in () parentheses are metric equivalents in millimeters rounded to the nearest whole number.


Suggested fasteners are not included and must be ordered separately.

Illustrations are not to scale.


Contents

Product History.....	2
Part Identification - X L and XX R.....	3
Part Identification - Jamb.....	4
Part Identification - Stationary O	5
Part Identification - Transom	6
Panel Options.....	7
Installation Parts.....	8
Traditional Handle.....	9
Contemporary Handle	14
Traditional and Contemporary Handle - Keyed Cylinder.....	19
Minimalist Handle.....	20
Minimalist Handle - Keyed Cylinder	29
Hinge Hanging Location	30
Hinges.....	31
Miscellaneous Parts	32
Miscellaneous Parts - Accessibility Sill	40
Lock Status Sensor Parts.....	42
Aluminum Parts	43
Vinyl Parts - Fabricated	44
Wood Parts - Fabricated.....	45
Weather Strip	46
Weather Strip - Accessibility Sill	47
Weather Strip - Discontinued - No Longer Available.....	48
Sill Replacement - Configured Parts in OMS	49
Service Only Parts.....	50


Produced	Unit Type	Features and Changes
2021	Ultimate Outswing French Door G2	06/28/2021: Introduced the Ultimate Outswing French Door G2.
2022	Ultimate Outswing French Door G2	02/28/2022: The Ultimate Outswing French Door G2 is now available with Impact Zone 3 (IZ3) certification. See Product Bulletin 807 for more details.
2023	Ultimate Outswing French Door G2 (2 1/4 panel option only)	10/30/2023: An ERS coating became available as a standard option for current Triple Pane offerings. See Product Bulletin 904 for more details.
2024	Ultimate Outswing French Door G2	02/26/2024: Performance Sill color changes from Bronze to Ebony, see Product Bulletin 909 for more information. Added panel options, see Product Bulletin 910 for additional information. 04/29/2024: Replacement Sills were made available in Configured Parts in OMS. 10/28/2024: Accessibility Sill became available. See Product Bulletin 938 for more information. The Bronze Performance sill moved to Discontinued - No Longer Available status (DISC-NA). See Product Bulletin 909 for more information. 11/25/2024: Updated Adjustable Hinge Packages to G2 version, utilizing the current adjustable hinge with G2 fastener usage.




Head Jamb and
Performance Sill Detail



Accessibility Sill Detail



X L Jamb




XX R Jamb


1. Head Jamb Nailing Fin, V119
2. Exterior Vinyl Frame Cover, V3224
3. Panel Cover Weather Strip, V3241
4. Parting Stop Weather Strip, V3117
5. Head Jamb/Jamb Parting Stop, W13541
6. Sill Weather Strip, V2026
7. Interior Sill Filler, V3120

8. Sill Liner, A3727
9. Astragal Base Weather Strip, V3208
10. Astragal Cap (Ogee), W13640
11. Astragal Base, W13639
12. Stile Weather Strip, V3243
13. Inactive Weather Strip, V3242

14. Adjustable Hinge
15. Jamb Nailing Fin, V104
16. Pile Weather Strip, Accessibility Sill, V03381
17. Weather Strip, Accessibility Sill, V03405
18. Kerf Filler, Accessibility Sill, V03427
19. Sill Liner, Accessibility Sill, A03955




2 Panel Jamb Detail - OX L




2 Panel Jamb Detail - XX L


1. Interior Handle, Active
2. Exterior Handle, Active
3. Interior Handle, Inactive
4. Exterior Handle, Inactive
5. Active Panel
6. Inactive Panel
7. Stationary Panel




3 Panel Operating Jamb OXO L




4 Panel Operating Jamb OXXO R



NOTE: Apply Frame Spacers at all pre-marked locations on stationary jambs.




Head Jamb and
Performance Sill Detail




Accessibility Sill Detail

1. Head Jamb Nailing Fin, V1119
2. Panel Cover Weather Strip, V3241
3. Parting Stop Weather Strip, V3117
4. Head Jamb/Jamb Parting Stop, W13541
5. Stationary Block, Exterior Sill, A3638
6. Sill Weather strip, V2026
7. Interior Sill Filler, W3120

8. Sill Liner, A3727
9. Astragal Base Weather Strip, V3208
10. Astragal Cap (Ogee), W13640
11. Astragal Base, W13639
12. Inactive Weather Strip, V3242
13. Stile Weather Strip, V3243




NOTE: Apply Frame Spacers
at all pre-marked locations on
stationary jambs.




OO Jamb Detail

14. Exterior Vinyl Frame Cover, V3224
15. Jamb Nailing Fin, V104
16. Pile Weather Strip, Accessibility Sill, V03381
17. Weather Strip, Accessibility Sill, V03405
18. Kerf Filler, Accessibility Sill, V03427
19. Sill Liner, Accessibility Sill, A03955




Head Jamb and Sill




Jamb - Transom 00
(1 Frame - 2 Sash)

1. Exterior Cover, Panel Retainer, V3123
2. Top Rail Weather Strip, V3133
3. Parting Stop Weather Strip, V3117
4. Head Jamb/Jamb Parting Stop, W13541
5. Sill Cover, Transom, W13567
6. Stile Weather Strip, V3243

7. Inactive Weather Strip, V3242
8. Astragal Base Weather Strip, V3208
9. Astragal Cap (Ogee), W13640
10. Astragal Base, W13639
11. Head Jamb Nailing fin, V119
12. Jamb Nailing Fin, V104




Standard
Ogee Interior
Putty Exterior



Option
Square Interior
Putty Exterior


4 9/16" Upper Frame Key

Color	PN
Black	11869925



Construction Handle

PN
10830451



Handle Assembly, Active, Keyed


Mortise Lock and Multi-Point Lock Systems (Schlage “C” Keyway)

Includes:

- 1 - Interior lever with spindle, escutcheon plate and hardware
- 1 - Exterior lever with escutcheon plate and hardware
- 1 - Thumb turn with hardware (A)
- 1 - Keyed cylinder with housing and hardware, includes 2 keys (B)
- 1 - Exterior escutcheon plate gasket
- 2 - Lug Seal (C)
- 1 - Two piece spindle, 4.35” w/1 3/4” panel, or 5.06” w/2 1/4” panel (D)
- 2 - #10–32 x 2 1/8” Phillips oval head machine screws (w/1 3/4” Panel) (E) or
- 2 - #10–32 x 2 5/8” Phillips oval head machine screws (w/2 1/4” Panel) (E)

Handle Assembly - 1 3/4 Panel	
Color	PN
Satin Taupe	10830304
Antique Brass	10830306
White	10830310
Satin Chrome	10830302
Oil Rubbed Bronze	10148111
Oil Rubbed Bronze PVD	10830300
Brass PVD	10830324
Satin Nickel PVD	10830421
Dark Bronze	10830330
Polished Chrome	10830308
Matte Black	10830450

Handle Assembly - 2 1/4” Panel	
Color	PN
Satin Taupe	21448114
Antique Brass	21448116
White	21448119
Satin Chrome	21448112
Oil Rubbed Bronze	21448111
Oil Rubbed Bronze PVD	21448118
Brass PVD	21448160
Satin Nickel PVD	21448110
Dark Bronze	21448120
Polished Chrome	21448117
Matte Black	21448131



Handle Assembly, Active, Non-Keyed


Mortise Lock and Multi-Point Lock Systems (Schlage “C” Keyway)

Includes:

- 2 - Levers
- 2 - Lever bushings (D)
- 2 - Lug seals (C)
- 1 - Interior escutcheon
- 1 - Exterior escutcheon
- 1 - Thumb turn with actuator/tail piece (B)
- 1 - Two piece spindle, 4.35” w/1 3/4” panel, or 5.06” w/2 1/4” panel (A)
- 2 - #10–32 x 2 1/8” Phillips oval head machine screws (w/1 3/4” Panel) (E) or
- 2 - #10–32 x 2 5/8” Phillips oval head machine screws (w/2 1/4” Panel) (E)
- 2 - Set screws
- 1 - Allen wrench
- 1 - Installation instruction

Handle Assembly - 1 3/4 Panel	
Color	PN
Satin Taupe	10830514
Antique Brass	10830520
White	10830516
Satin Chrome	10830513
Oil Rubbed Bronze	10830512
Oil Rubbed Bronze PVD	10830510
Brass PVD	10830517
Satin Nickel PVD	10830521
Dark Bronze	10830518
Polished Chrome	10830515
Matte Black	10830519

Handle Assembly - 2 1/4” Panel	
Color	PN
Satin Taupe	21448174
Antique Brass	21448180
White	21448176
Satin Chrome	21448173
Oil Rubbed Bronze	21448172
Oil Rubbed Bronze PVD	21448170
Brass PVD	21448177
Satin Nickel PVD	21448181
Dark Bronze	21448178
Polished Chrome	21448175
Matte Black	21448179




Handle Assembly, Inactive/Dummy

Includes:


- 1 - Interior lever with spindle, escutcheon plate and hardware
- 1 - Exterior lever with escutcheon plate and hardware
- 1 - Exterior escutcheon plate gasket
- 1 - Exterior escutcheon plate
- 2 - Lug seals (A)
- 1 - Two piece spindle, 4.35" (w/1 3/4" panel), or 5.06" (w/2 1/4" panel) (B)
- 2 - #10-32 x 2 1/8" Phillips oval head machine screws (w/1 3/4" Panel) (C) or
- 2 - #10-32 x 2 5/8" Phillips oval head machine screws (w/2 1/4" Panel) (C)

Handle Assembly - 1 3/4 Panel	
Color	PN
Satin Taupe	10830318
Antique Brass	10830312
White	10830316
Satin Chrome	10830320
Oil Rubbed Bronze	10148154
Oil Rubbed Bronze PVD	10830322
Brass PVD	10830326
Satin Nickel PVD	10830422
Dark Bronze	10830328
Polished Chrome	10830314
Matte Black	10148157

Handle Assembly - 2 1/4" Panel	
Color	PN
Satin Taupe	21448151
Antique Brass	21448147
White	21448150
Satin Chrome	21448153
Oil Rubbed Bronze	21448154
Oil Rubbed Bronze PVD	21448145
Brass PVD	21448161
Satin Nickel PVD	21448133
Dark Bronze	21448162
Polished Chrome	21448148
Matte Black	21448163



Inactive Panel
Interior



Inactive Panel
Exterior


Thumb Turn, Traditional

For Keyed Handle

Includes:

Thumb Turn Washer
Thumb Turn Push Nut

No Tail Piece/Actuator (for keyed handle)	
Color	PN
Antique Brass	10148483
Satin Chrome	10148482
Oil Rubbed Bronze	10148481
Oil Rubbed Bronze PVD	10148485
Polished Chrome	10148488
Brass PVD	10148484
Satin Nickel PVD	10148487
Satin Taupe	10148486
Dark Bronze	10148479
White	10148489
Matte Black	10148480




Thumb Turn, Traditional with Actuator/Tail Piece

For Non-Keyed Handle

Includes:

Actuator/Tailpiece
Thumb Turn Washer
Thumb Turn Push Nut


With Tail Piece/Actuator (for non-keyed handle)	
Color	PN
Antique Brass	10148495
Satin Chrome	10148494
Oil Rubbed Bronze	10148493
Oil Rubbed Bronze PVD	10148497
Polished Chrome	10148500
Brass PVD	10148496
Satin Nickel PVD	10148499
Satin Taupe	10148498
Dark Bronze	10148491
White	10148501
Matte Black	10148492



#10-32 x 2 1/8" Phillips Oval Head Machine Screw

For 1 3/4" Panels


Color	PN
Satin Taupe	11800616
Antique Brass	00143038
Satin Chrome	00143031
White	00143036
Oil Rubbed Bronze	00143032
Oil Rubbed Bronze PVD	11800160
Brass PVD	11800615
Satin Nickel PVD	11800190
Dark Bronze	11800654
Matte Black	11800181



#10-32 x 2 5/8" Phillips Oval Head Machine Screw


For 2 1/4" Panels

Color	PN
Satin Taupe	11800237
Antique Brass	11800234
Satin Chrome	11800233
Polished Chrome	11800239
White	11800240
Oil Rubbed Bronze	11800232
Oil Rubbed Bronze PVD	11800236
Brass PVD	11800235
Satin Nickel PVD	11800238
Dark Bronze	11800231
Matte Black	11800179



Handle Extension

3/4" Handle Extension (Requires 3/4" Spindle Extension)		3/8" Handle Extension (Requires 3/8" Spindle Extension)	
Color	PN	Color	PN
Satin Taupe	10833060	Satin Taupe	10833049
Antique Brass	10833057	Antique Brass	10833046
White	10833063	White	10833052
Satin Chrome	10833056	Satin Chrome	10833045
Oil Rubbed Bronze	10833038	Oil Rubbed Bronze	10833044
Oil Rubbed Bronze PVD	10833059	Oil Rubbed Bronze PVD	10833048
Brass PVD	10833058	Brass PVD	10833047
Satin Nickel PVD	10830139	Satin Nickel PVD	10833050
Dark Bronze	10833054	Dark Bronze	10833042
Polished Chrome	10833062	Polished Chrome	10833051
Matte Black	10833055	Matte Black	10833043




Spindle/Spindle Extension Kit

Includes:

- 1 - 2 pc. Spindle
- 2 - Set screws


Spindle		
Panel Usage	Length	PN
1 3/4"	4.35"	18900392
2 1/4"	5.06"	18900393

Spindle with 3/4" Lever Extension		
Panel Usage	Length	PN
1 3/4"	5.06"	18900393
2 1/4"	5.812"	00142051




Lever Bushing, Traditional

Color	PN
Clear	02062201
Gray	10148448
Gold	10148447
Natural	02062202
Black	10148020



Lug Seal

PN
00142046




Contemporary Handle, Exterior, Active, Keyed

Includes:

- 1 - Handle
- 1 - Exterior escutcheon with bushing
- 1 - Keyed cylinder, includes 2 keys
- 2 - Lug seals
- 1 - Spring cartridge
- 1 - Set screw
- 1 - Installation instruction
- 1 - Hex wrench

LH Outswing Panel uses RH PN RH Outswing Panel uses LH PN		
Color	LH PN	RH PN
Matte Black	11870120	11870112
Satin Nickel PVD	11870122	11870114
Oil Rubbed Bronze PVD	11870124	11870116
Dark Bronze	11870126	11870118




LH shown

Contemporary Handle, Interior, Active, Keyed

Includes:

- 1 - Handle
- 1 - Interior escutcheon with bushings
- 1 - Spring cartridge
- 1 - Thumb turn
- 2 - Machine screws, 2 1/4" Doors
- 2 - Machine screws, 1 3/4" Doors
- 1 - Split spindle, 2 1/4" Doors
- 1 - Split spindle, 1 3/4" Doors
- 1 - Set screw
- 1 - Installation instruction
- 1 - Hex wrench

LH Outswing Panel uses LH PN RH Outswing Panel uses RH PN		
Color	LH PN	RH PN
Matte Black	11870104	11870097
Satin Nickel PVD	11870106	11870098
Oil Rubbed Bronze PVD	11870108	11870100
Dark Bronze	11870110	11870102




RH shown

Contemporary Handle, Interior, Active, Non-Keyed

Includes:

- 1 - Handle
- 1 - Interior escutcheon with bushings
- 1 - Spring cartridge
- 1 - Thumb turn
- 2 - Machine screws, 2 1/4" Doors
- 2 - Machine screws, 1 3/4" Doors
- 1 - Split spindle, 2 1/4" Doors
- 1 - Split spindle, 1 3/4" Doors
- 1 - Set screw
- 1 - Installation instruction
- 1 - Hex wrench

LH Outswing Panel uses LH PN RH Outswing Panel uses RH PN		
Color	LH PN	RH PN
Matte Black	11870136	11870128
Satin Nickel PVD	11870138	11870130
Oil Rubbed Bronze PVD	11870139	11870132
Dark Bronze	11870143	11870133




RH shown

Contemporary Handle, Exterior, Non-Keyed, Inactive/Dummy

Includes:

- 1 - Handle
- 1 - Exterior escutcheon with bushings
- 2 - Lug seals
- 1 - Fixing plate
- 1 - Set screw
- 1 - Installation instruction
- 1 - Hex wrench

LH Outswing Panel uses RH PN RH Outswing Panel uses LH PN		
Color	LH PN	RH PN
Matte Black	11870153	11870145
Satin Nickel PVD	11870154	11870146
Oil Rubbed Bronze PVD	11870156	11870148
Dark Bronze	11870158	11870149




LH shown

Contemporary Handle, Interior, Inactive/Dummy

Includes:

- 1 - Handle
- 1 - Escutcheon with bushing
- 1 - Dummy fixing plate
- 1 - Spring cartridge
- 2 - Machine screws, 2 1/4" Doors
- 2 - Machine screws, 1 3/4" Doors
- 1 - Split spindle, 2 1/4" Doors
- 1 - Split spindle, 1 3/4" Doors
- 1 - Set screw
- 1 - Installation instruction
- 1 - Hex wrench

LH Outswing Panel uses LH PN RH Outswing Panel uses RH PN		
Color	LH PN	RH PN
Matte Black	11870169	11870160
Satin Nickel PVD	11870171	11870162
Oil Rubbed Bronze PVD	11870172	11870164
Dark Bronze	11870174	11870166



RH shown


Thumb Turn, Contemporary

For Keyed Handle

Includes:

- Thumb Turn Washer
- Thumb Turn Push Nut

No Tail Piece/Actuator (for keyed handle)	
Color	PN
Oil Rubbed Bronze PVD	10148485
Satin Nickel PVD	10148487
Dark Bronze	10148479
Matte Black	10148480




Thumb Turn, Contemporary with Actuator/Tail Piece

For Non-Keyed Handle

Includes:


- Actuator/Tailpiece
- Thumb Turn Washer
- Thumb Turn Push Nut

With Tail Piece/Actuator (for non-keyed handle)	
Color	PN
Oil Rubbed Bronze PVD	10148497
Satin Nickel PVD	10148499
Dark Bronze	10148491
Matte Black	10148492




M5 x 65mm Phillips Oval Head Machine Screw

Color	PN
Oil Rubbed Bronze PVD	10148456
Satin Nickel PVD	10148457
Dark Bronze	10148455
Matte Black	11800694



3/4" Handle Extension

Color	PN
Oil Rubbed Bronze PVD	10148421
Satin Nickel PVD	10148422
Dark Bronze	10148420
Matte Black	10148445




Spindle Kit

Includes:

- 1 - 2 pc. Spindle
- 2 - Set screws

NOTE: Longer length spindles are intended for use with the 3/4" Handle Extension.

1 3/4" Panels		2 1/4" Panels	
Length	PN	Length	PN
4 3/4"	10148414	5 1/8"	10148458
5 1/2"	10148415	5 29/32"	10148459




Spring Cartridge

PN
10830452




Lever Bushing, Contemporary

Color	PN
Gray	10148448
Natural	02062202
Black	10148020




Gasket Post, Lug Seal

PN
10148404



Gasket, Top Backplate

PN
10148405



Keyed Cylinder

(Schalge "C" keyway)
For service replacement only.

Includes:


2 - Keys

NOTE: For Keyed Alike orders, use program C87P2

Polished Chrome, White, Satin Nickel PVD, Matte Black use Chrome Face

Satin Taupe, Antique Brass, Satin Chrome, Oil Rubbed Bronze, Oil Rubbed
Bronze PVD, Brass PVD, Dark Bronze use Brass Face

Traditional and Contemporary Handle			
1 3/4" Panel		2 1/4" Panel	
Color	PN	Color	PN
Brass Face	10830211	Brass Face	10830212
Chrome Face	10830208	Chrome Face	10830209




Minimalist Handle, Exterior, Active, Keyed

Includes:

- (1) Lever handle
 - (2) Set screw
 - (3) Lever bushing
 - (4) Wood screw, qty 3
 - (5) Split spindle, 2 1/4" doors
 - (5) Split spindle, 1 3/4" doors
 - (6) Handle rosette base
 - (7) Gasket, rosette base, qty 2
 - (8) Cylinder rosette base
 - (9) Keyed cylinder (includes 2 keys)
 - (10) Exterior Escutcheon with cylinder housing
- Installation instruction
Hex wrench

LH Outswing Panel uses RH PN RH Outswing Panel uses LH PN		
Color	LH PN	RH PN
Matte Black	11870040	11870032
Satin Nickel PVD	11870042	11870034
Oil Rubbed Bronze PVD	11870044	11870036
Dark Bronze	11870046	11870038




Minimalist Handle, Interior, Active, Keyed

Includes:

- (1) Lever handle
- (2) Set screw
- (3) Lever bushing
- (4) Lever rosette
- (5) Wood screws, qty 3
- (6) Lever rosette base
- (7) Spring cartridge
- (8) Thumb turn rosette base with washer
- (9) M5 x 70 machine screw
- (9) M5 x 60 machine screw
- (10) Thumb turn rosette assembly

LH Outswing Panel uses LH PN RH Outswing Panel uses RH PN		
Color	LH PN	RH PN
Matte Black	11870008	11870001
Satin Nickel PVD	11870010	11870002
Oil Rubbed Bronze PVD	11870012	11870004
Dark Bronze	11870014	11870006




Minimalist Handle, Exterior, Active, Non-Keyed

Includes:

- (1) Lever handle
- (2) Set screw
- (3) Lever bushing
- (4) Wood screws, qty 3
- (5) Split spindle, 2 1/4" doors
- (5) Split spindle, 1 3/4" doors
- (6) Lever rosette base with gasket
- (7) Gasket, rosette base, qty 2
- (8) Cylinder rosette base with gasket
- (9) Backplate, exterior, non-keyed
- Installation instruction

LH Outswing Panel uses RH PN RH Outswing Panel uses LH PN		
Color	LH PN	RH PN
Matte Black	11870024	11870017
Satin Nickel PVD	11870026	11870018
Oil Rubbed Bronze PVD	11870028	11870020
Dark Bronze	11870030	11870022




Minimalist Handle, Interior, Active, Non-Keyed

Includes:

- (1) Lever handle
- (2) Set screw
- (3) Lever bushing
- (4) Lever rosette
- (5) Wood screws, qty 3
- (6) Lever rosette base
- (7) Spring cartridge
- (8) Thumb turn rosette base with washer
- (9) M5 x 70 machine screw
- (9) M5 x 60 machine screw
- (10) Thumb turn rosette assembly

LH Outswing Panel uses LH PN RH Outswing Panel uses RH PN		
Color	LH PN	RH PN
Matte Black	11870056	11870048
Satin Nickel PVD	11870058	11870050
Oil Rubbed Bronze PVD	11870060	11870052
Dark Bronze	11870062	11870054




Minimalist Handle, Exterior, Inactive/Dummy

Includes:

- (1) Lever handle
 - (2) Set screw
 - (3) Lever bushing
 - (4) Wood screws, qty 4
 - (5) Lever rosette base, qty 2
 - (6) Lever rosette gasket, qty 2
 - (7) Split spindle, 2 1/4" Doors
 - (7) Split spindle, 1 3/4" Doors
 - (8) Backplate, escutcheon, non-keyed
- Hex wrench
Installation instruction

LH Outswing Panel uses RH PN RH Outswing Panel uses LH PN		
Color	LH PN	RH PN
Matte Black	11870072	11870064
Satin Nickel PVD	11870074	11870066
Oil Rubbed Bronze PVD	11870076	11870069
Dark Bronze	11870078	11870071




Minimalist Handle

- (1) Lever handle
- (2) Set screw
- (3) Lever bushing
- (4) Lever rosette
- (5) Wood screws, qty 2
- (6) Lever rosette base
- (7) Spring cartridge
- (8) Fixing plate


Installation instruction
Hex wrench

LH Outswing Panel uses LH PN RH Outswing Panel uses RH PN		
Color	LH PN	RH PN
Matte Black	11870088	11870081
Satin Nickel PVD	11870090	11870082
Oil Rubbed Bronze PVD	11870092	11870084
Dark Bronze	11870094	11870086



Lever Handle


Color	LH PN	RH PN
Matte Black	11869951	11869950
Satin Nickel PVD	11869953	11869952
Oil Rubbed Bronze PVD	11869955	11869954
Dark Bronze	11869957	11869956



RH shown


Fixing Plate, Dummy

PN
11869978




Spring Cartridge

PN
11869979




Backplate, Exterior, Keyed

Color	PN
Matte Black	11869960
Satin Nickel PVD	11869961
Oil Rubbed Bronze PVD	11869962
Dark Bronze	11869963




Backplate, Exterior, Non-Keyed

Color	PN
Matte Black	11869964
Satin Nickel PVD	11869965
Oil Rubbed Bronze PVD	11869966
Dark Bronze	11869967




Thumb Turn Rosette Assembly, Keyed

Color	PN
Matte Black	11869972
Satin Nickel PVD	11869973
Oil Rubbed Bronze PVD	11869974
Dark Bronze	11869975




Thumb Turn Rosette Assembly, Non-Keyed

Color	PN
Matte Black	11869985
Satin Nickel PVD	11869986
Oil Rubbed Bronze PVD	11869988
Dark Bronze	11869987




Handle Rosette

Color	PN
Matte Black	11869968
Satin Nickel PVD	11869969
Oil Rubbed Bronze PVD	11869970
Dark Bronze	11869971




Thumb Turn Rosette Base and Washer

PN
11869983




Handle Rosette Base

PN
11869981




Gasket, Rosette Base

PN
11869980



Cylinder Rosette Base

PN
11869982




Field Service Parts Kit, Exterior

Includes:

- 4 - 3.9x19MM screw
- 1 - Set screw
- 1 - 8 x 130 mm spindle
- 1 - 8 x 140 mm spindle
- 1 - Lever bushing
- 1 - Hex wrench

PN
11844035




Field Service Parts Kit, Interior

Includes:

- 1 - Set screw
- 1 - M5 x 60 machine screw
- 1 - M5 x 70 machine screw
- 3 - 3.9 x 19 mm screw
- 1 - Spring cartridge
- 1 - Lever bushing
- 1 - Hex wrench

PN
11844036



Keyed Cylinder

(Schalge "C" keyway)
For service replacement only.


Includes:

2 - Keys


NOTE: For Keyed Alike orders, use program C87P2

Satin Nickel PVD and Matte Black use Chrome Face
Oil Rubbed Bronze PVD and Dark Bronze use Brass Face


Minimalist Handle	
Color	PN
Brass Face	10148228
Chrome Face	10833005



NOTE: Always view units from the exterior for handing.
H=Hinge location




RH Outswing



X-RH Outswing
 This panel uses the right hand hinge

X-LH Outswing
 This panel uses the left hand hinge



LH Outswing

Adjustable Hinge Package, G2

NOTE: Packages may include extra screws that are not used in certain applications.

Includes:



- 1 - Adjustable hinge
- 4 - #8 x 1 1/2" Phillips flat head wood screws (panel)
- 5 - #10-16 x 7/8" Phillips full thread, flat head screw (jamb)
- 5 - #10 x 1" Type A-17 full thread screw (jamb, stationary stile)
- 1 - #10-13 x 2 1/2" Type A/TF 2/3 thread screw package (jamb). Use 1 screw per hinge.

NOTE: Individual screws are available if needed.


Adjustable Hinge Package, G2 - Color and Part Number			Matching Screw Color
Hinge Color	LH PN	RH PN	
Satin Taupe (TP)	02101260	02101261	TP
Goldtone (GT)	02101246	02101247	GT
Silver Frost (SF)	02101262	02101263	Stainless Steel
Dark Bronze (DKBZ)	02101244	02101245	DKBZ
Antique Brass (AB)	02101240	02101241	DKBZ
White (WH)	02101266	02101267	WH
Satin Chrome (SC)	02101256	02101257	Stainless Steel
Oil Rubbed Bronze (ORBZ)	02101250	02101251	DKBZ
Oil Rubbed Bronze PVD (ORBZ PVD)	02101252	02101253	DKBZ
Brass PVD (BS PVD)	02101242	02101243	BS PVD
Satin Nickel (SN) PVD	02101258	02101259	Stainless Steel
Polished Chrome (PC)	02101254	02101255	Stainless Steel
Matte Black (MBK)	02101248	02101249	MBK

Adjustment Cover, Adjustable Hinge

PN
11844039



LH Hinge



RH Hinge

Individual Screw Description	Color and Part Number						
	TP	GT	WH	DKBZ	BS PVD	Stainless Steel	MBK
#8 x 1 1/2" Phillips flat head wood screw (panel). 4 per hinge.	11865177	11865172	11865173	02058013	11865176	11865175	11865178
#10-16 x 7/8" Phillips flat head wood screw (jamb or stationary stile). 5 per hinge.	11800286	11800282	11800283	11800281	11800285	11800284	11800287
#10-16 x 1" Type A-17 full thread screw	11800985	11800981	11800982	11800980	11800984	11800987	11800986
#10-13 x 2 1/2" Type A/TF 2/3 thread screw package* (jamb). Use 1 screw per hinge. Part numbers for these screws are sold in packages of 4 screws and includes 1 - 5/32" Allen wrench. (Long Hinge Screw Package)	11800653	11800632	11800637	11800644	10148185	11800639	11800696
NOTE: To avoid damage, do not use on panels of Ultimate 3" Stile Doors.							


Cover Plate, Active Multi-Point Lock

Used on 1 3/4" Panels

Color	PN
Antique Brass	11841980
Bright Brass PVD	11841981
Stainless Steel	11841982
Oil Rubbed Bronze PVD	11841983

Suggested Fasteners	
4 - #8-18 x 5/8" Type A/AB, full thread screw	
Color	PN
Dark Bronze	11800579
Brass	11800580
Stainless Steel	11806154

NOTE: Dark Bronze screws are used on Antique Brass and Oil Rubbed Bronze PVD.




Cover Plate, Active Multi-Point Lock, 2 1/4"

Used on 2 1/4" Panels

LH Outswing uses LH PN RH Outswing uses RH PN		
Color	LH PN	RH PN
Antique Brass	11844020	11844021
Bright Brass PVD	11844022	11844023
Stainless Steel	11844024	11844025
Oil Rubbed Bronze PVD	11844026	11844027

Suggested Fasteners	
4 - #8-18 x 5/8" Type A/AB, full thread screw	
Color	PN
Dark Bronze	11800579
Brass	11800580
Stainless Steel	11806154

Suggested Fasteners	
2 - #8-18 x 1 1/2" Type A/AB, full thread screw	
Color	PN
Dark Bronze	02058013
Brass	11865176
Stainless Steel	11865175




LH shown

NOTE: Dark Bronze screws are used on Antique Brass and Oil Rubbed Bronze PVD.


Gear Box (Multi-Point Lock), 60mm Active

PN
10501652




Latch Bolt

PN
10501929



Gear Box (Multi-Point Lock), 60mm Passive

PN
10501928



Frame Strike, Wide, Multi-Point Lock

NOTE: Used on 1 3/4" panels

Color	PN
Antique Brass	11844005
Bright Brass PVD	11844006
Stainless Steel	11844007
Oil Rubbed Bronze PVD	11844008

Suggested Fasteners	
3 - #10-16 x 7/8" full thread undercut screw	
Color	PN
Dark Bronze	11800281
Brass	11800285
Stainless Steel	11800284


NOTE: Dark Bronze screws are used on Antique Brass and Oil Rubbed Bronze PVD.

Strike Plate, Head Jamb

Used with 1 3/4" Panels

PN
11869683


Suggested Fasteners	PN
2 - #8-32 x 3/8" Full thread machine screw	02058014



Strike Cup

Used with 1 3/4" Outswing Jamb


PN
11869699



Frame Strike, Narrow, Multi-Point Lock

Used on 2 1/4" panels

Color	PN
Antique Brass	11844000
Bright Brass PVD	11844001
Stainless Steel	11844002
Oil Rubbed Bronze PVD	11844003



Suggested Fasteners	
3 - #10-16 x 7/8" full thread undercut screw	
Color	PN
Dark Bronze	11800281
Brass	11800285
Stainless Steel	11800284


NOTE: Dark Bronze screws are used on Antique Brass and Oil Rubbed Bronze PVD.

Strike Plate, Head Jamb

Used with 2 1/4" Panels

PN
11869682


Suggested Fasteners	PN
2 - #8-32 x 3/8" full thread machine screw	02058014



Panel Strike, Narrow, Multi-Point Lock

Used on Outswing

Color	PN
Antique Brass	11844009
Bright Brass PVD	11844010
Stainless Steel	11844011
Oil Rubbed Bronze PVD	11844012



Suggested Fasteners	
5 - #8-18 x 5/8" Type A/AB, full thread screw	
Color	PN
Dark Bronze	11800579
Brass	11800580
Stainless Steel	11806154

NOTE: Dark Bronze screws are used on Antique Brass and Oil Rubbed Bronze PVD.

Sill Strike and Gasket Assembly


Used on 1 3/4" Panels

Includes:

- 1 - Strike
- 1 - Gasket

Color	PN
Ebony	11869933

Suggested Fasteners	
2 - #8 x 1/2" TORX, pan head full thread screw	
Color	PN
Ebony	11800224



Sill Strike and Gasket Assembly


Used on 2 1/4" Panels

Includes:

- 1 - Strike
- 1 - Gasket

Color	PN
Ebony	11869934

Suggested Fasteners	
3 - #8 x 1/2" TORX, pan head full thread screw	
Color	PN
Ebony	11800224



Sill Strike and Gasket Assembly


Used on IZ3 Panels

Includes:

- 1 - Strike
- 1 - Gasket

Color	PN
Ebony	11869936

Suggested Fasteners	
4 - #8 x 1/2" TORX, pan head full thread screw	
Color	PN
Ebony	11800224




Shoot Bolt Sub Assembly

NOTE: If a special rough opening height is needed for the Top Locking Rod, please order using the following specifications:

- 1. State “Top Locking Rod Assembly”.
- 2. Original order number/line number (if available)
- 3. Configuration
- 4. Rough opening

Multi Point Top Rod		
CN	Length	PN
6-6R	36 35/64"	05700210
6-8	39 3/64"	05700211
7-0	43 3/64"	05700212
8-0	55 3/64"	05700213
9-0	67 3/64"	05700214
10-0	79 3/64"	05700215
Multi Point Bottom Rod		
-	16 3/4"	11101742


Flush Bolt	
10 51/64"	11101740
33 27/64"	11101742
43 3/64"	05700212



Shoot Bolt Retainer, Head Jamb


Color	PN
Black	10501922

Suggested Fasteners	
1 - #8-18 x 5/8" Type A/AB, full thread screw	
Color	PN
Stainless Steel	11806154




Flush Bolt Adapter

Color	PN
Black	10840269



Shoot Bolt Sub Guide


PN
11869674



Sill Drain Assembly

Color	PN
Ebony	10840264


Suggested Fasteners	
2 - #8-18 x 1 1/2" Torx, full thread, pan head screw	
Color	PN
Ebony	11800224



Stationary Bolt, Stile

Color	PN
Black	10899024


Suggested Fasteners	
1 - #8-15 x 3" Type A/TF, Phillips, 2/3 thread screw	
Color	PN
Matte Black	11800918



Stile End Bracket

Length	PN
4 3/4"	10502072


Suggested Fasteners	
2 - #8-18 x 1 1/4" Type A/TEK2, Phillips flat head screw	
Color	PN
Stainless Steel	11801806



Stationary Bracket Reinforcement

Length	PN
4 3/4"	10502071

Suggested Fasteners	
1 - #8-18 x 1 1/4" Type A/TEK2, Phillips flat head screw	
Color	PN
Stainless Steel	11801806




Header Bracket, Stationary

Used on 1 3/4" panels

PN
11841129

Suggested Fasteners	
3 - #10-16 x 7/8" full thread undercut screw	
Color	PN
Stainless Steel	11800284




Header Bracket, Stationary

Used on 2 1/4" panels

PN
11841128

Suggested Fasteners	
3 - #10-16 x 7/8" full thread undercut screw	
Color	PN
Stainless Steel	11800284




Sill Bracket, Stationary

Used on 1 3/4" panels

PN
11841023

Suggested Fasteners	
4 - #8 x 1/2" TORX, pan head full thread screw	
Color	PN
Stainless Steel	11800147




Sill Bracket, Stationary

Used on 2 1/4" panels

PN
11841022


Suggested Fasteners	
4 - #8 x 1/2" TORX, pan head full thread screw	
Color	PN
Stainless Steel	11800147



Panel to Sill Bracket

LH PN	RH PN
11841025	11841024


Suggested Fasteners	
1 - #8-15 x 3" Type A/TF, Phillips, 2/3 thread screw	
Color	PN
Stainless Steel	11800903



LH shown


Stile End Filler

Length	PN
3.938"	16220003




Frame Spacer

PN
16220009




Shoot Bolt Sub Assembly, Accessibility Sill

Description	Length	PN
Flush Bolt	8 25/32" (223)	10501948
Bottom Multi-Point	33 13/32" (849)	10501995



Stile End Plug, 4 3/4", Accessibility Sill

LH PN	RH PN
11869946	11869947



RH shown


Sill Strike and Gasket Assembly, Accessibility Sill

Includes:

- 1 - Strike
- 1 - Gasket

Color	PN
Black	11869697


Suggested Fasteners	
2 - #8 x 1/2" TORX, pan head full thread screw	
Color	PN
Ebony	11800224



Shoot Bolt Guide, OXXO, Accessibility Sill

Color	LH PN	RH PN
Black	10501998	10501997

Suggested Fasteners	
2 - #8-18 x 1 1/4" , Type AB, Phillips, flat head screw	
Color	PN
Stainless Steel	11808118




RH shown

Sill Bracket, Exterior Panel, Accessibility Sill

Used on 1 3/4" panels only


PN
11100216

Suggested Fasteners	
2 - #8-18 x 1/2" Torx, full thread, pan head screw	
Color	PN
Ebony	11800224




Dust Block, OXXO, Accessibility Sill

PN
10500398




Sill Gasket, Accessibility Sill

PN
05700009




Sill Key Fuzzy, Accessibility Sill

PN
10501143



Cover, Transmitter


Color	PN
Brushed Stainless Steel	10501822



#8-18 x 1” Type AB, Full Thread

Used for Transmitter Cover
Need quantity of 2 for each part


PN
11800769



Stationary Block, Exterior Sill

A3638


Length	Panel Width	PN
5" (127)	Under 18 1/2"	18903809
9" (230)	18 1/2" and larger	18903808




Aluminum Parts

Ordering specifications (use all that apply):

- 1. Original order number/line number (if available)
- 2. Call number or rough opening
- 3. Profile
- 4. Length
- 5. Handing
- 6. Color/finish



A3727
Sill Liner




A03955
Sill Liner, Accessibility Sill


Vinyl Parts

Ordering specifications (use all that apply):


1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color




V3224
Exterior Vinyl Frame Cover



V3123
Exterior Cover, Panel Retainer



V3120
Interior Sill Filler




V03427
Kerf Filler, Accessibility Sill


Wood Parts

Ordering specifications (use all that apply):


1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Species/Finish




W13541
Parting Stop




W13639
Astragal Base



W13631
Astragal Cap, Square



W13759
Sill Cover, 4 9/16", Outswing




W13567
Sill Cover, Transom


Weather Strip

Ordering specifications (use all that apply):


1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color




V3208
Astragal Base Weather Strip




V3117
Parting Stop Weather Strip




V3133
Top Rail Weather Strip
Used on Transom




V3242
Inactive Weather Strip



V2026
Sill Weather Strip



V3241
Panel Cover Weather Strip




V3243
Stile Weather Strip

Bottom Rail Weather Strip, Exterior Panel, Accessibility Sill

V03405


Length	PN
37 31/64" (952)	16229530
61 31/64" (1562)	16229550




Bottom Rail Pile Weather Strip Accessibility Sill

V03381


Length	PN
61 5/16" (1558)	16224750





**Panel Cover Weather Strip,
V3125**


No longer available, replace
with V3241.




Stile Weather Strip, V3161

No longer available, replace with
V3243.


Refer to Configured Parts in OMS for sill replacement.




Performance Sill - 4 9/16"
F2055



Performance Sill - 6 9/16"
F2056



Accessibility Sill - 4 9/16"
F2057



Accessibility Sill - 6 9/16"
F2058

Replacement Panel Bracket Kits, Outswing

Description	Description	PN
5 Piece Kit	5 - Field service brackets, Outswing 10 - #8-18x1 1/2" Type A/AB, full thread screw 5 - #10-12 x 3", 2/3 thread screw 2 - Stationary panel alignment part 2 - #8-18x1" Type AB, full thread screw 1 - UOFD UIFD Stationary Panel Service Instruction	11102263
7 Piece Kit	7 - Field service brackets, Outswing 14 - #8-18x1 1/2" Type A/AB, full thread screw 7 - #10-12 x 3", 2/3 thread screw 2 - Stationary panel alignment part 2 - #8-18x1" Type AB, full thread screw 1 - UOFD UIFD Stationary Panel Service Instruction	11102264

