

Ultimate Inswing French Door 2 1/4inch Arch Top

Contents

Replacement Parts

Specifications and technical data are subject to change without notice.

Numbers listed in () parentheses are metric equivalents in millimeters rounded to the nearest whole number.

Suggested fasteners are not included and must be ordered separately.

Illustrations are not to scale.

2
2 3
4
5
10
15
16
18
19
21
24
25
27
29
30
31
32
34
35
- - - -

Produced	Unit Type	Features and Changes	
2005	Ultimate Inswing French Door 2 1/4inch Arch Top	5/31/2005: 2 1/4inch Panel IZ3 doors introduced. Units feature multi-point lock, LVL stiles and rails, and 4 1/" x 4 1/2" ball bearing hinges.	
2006	Ultimate Inswing French Door 2 1/4inch Arch Top	11/20/2006: Introduced the 2 1/4inch door as a standard residential product.	
2007	Ultimate Inswing French Door 2 1/4inch Arch Top	2/20/2007: Introduced raised and flat panels as a standard option.	
2008	Ultimate Inswing French Door 2 1/4inch Arch Top	7/28/2008: Mixed grain Douglas fir is now a standard option.	
2009	Ultimate Inswing French Door 2 1/4inch Arch Top	3/23/2009: Added LoĒ3-366 as a standard option for all products. Added Cedro Macho as a standard option for all Ultimate products.	
2010	Ultimate Inswing French Door 2 1/4inch Arch Top	2/22/2010: Added Dark Bronze hardware finish to doors.	
2011	Ultimate Inswing French Door 2 1/4inch Arch Top	4/25/2011: Added LoĒ-180 as a standard option for all products. White painted interior finish option introduced for all products.	
2012	Ultimate Inswing French Door 2 1/4inch Arch Top	7/30/2012: Adjustable Hinge became standard. 10/29/2012: Interior Square Sticking/Glazing Bead option introduced. 12/17/2012: Introduced Clear Interior Finish option on all products.	
2013	Ultimate Inswing French Door 2 1/4inch Arch Top	4/29/2013: Introduced interior stain options. Stain colors are Wheat, Honey, Leather, Hazelnut, Cabernet and Espresso. 12/16/2013: Interior Shades option introduced.	
2014	Ultimate Inswing French Door 2 1/4inch Arch Top	 2/24/2014: Introduced two Pearlescent colors (Bright Silver and Copper) and discontinued colors (Sherwood Green and Cobalt Blue) to the Ultimate Doors. Removed screen information and added new chapter for screen to manual. 4/28/2014: Added the Contemporary Panel and Contemporary Handle options. 6/23/2014: Added PVD color options for the Contemporary Handle; Oil Rubbed Bronze PVD and Satin Nickel PVD are now available. 8/25/2014: Panel drip and screws (A2408) will now match standard color. Screws for custom color will be stainless steel. 	
2016	Ultimate Inswing French Door 2 1/4inch Arch Top		
2017	Ultimate Inswing French Door 2 1/4inch Arch Top	r 12/18/2017: Added availability of Lock Status Sensor.	
2023	Ultimate Inswing French Door 2 1/4inch Arch Top	10/30/2023: An ERS coating became available as a standard option for current Triple Pane offerings. See Product Bulletin 904 for more details.	



1. Nailing Fin/Drip Cap

4. Head Jamb Cladding 5. Head Jamb Stop

Top Rail Cladding

9. Glazing Bead, W9949

Bottom Rail Cladding

14. Hydro-Optimizer, A1251

17. Sill Weather Strip, V794 18. Stile Weather Strip, V020

23. Jamb Weather Strip, V796

24. Jamb Stop Weather Strip, V796

Insulating Glass

Bottom Rail 13. Panel Drip, V940

19. Sill Liner, W8661

21. Nailing Fin 22. Jamb – RT2

Stile

Jamb Cladding

Stile Cladding

Exterior Handle

Interior Handle

Astragal, A772

34. Astragal Base, A771

Jamb RT6

Adjustable Hinge

37. Inactive Panel Locking Stile

39. Side Jamb Parting Stop - RT6 40. Radiused Glazing Bead

29. Active Panel Locking Stile

Stile Weather Strip, V020

Astragal Weather Strip, V796

Side Jamb Parting Stop - RT2

Mull Base Stile Weather Strip, V780

Head Jamb Weather Strip, V796

6. Head Jamb Stop Weather Strip, V796

Head Jamb

2.

3.

7.

10.

11. 12.

20.

25.

26.

27.

28.

30.

31.

32.

33.


35.

36.

38.


8. Top Rail

15. Sill, F256



2021-06-28

Construction Handle




Handle Assembly, Active, Keyed

Mortise Lock and Multi-Point Lock Systems (Schlage "C" Keyway)

Includes:

- 1 Interior lever with spindle, escutcheon plate and hardware
- 1 Exterior lever with escutcheon plate and hardware
- 1 Thumb turn with hardware (A)
- 1 Keyed cylinder with housing and hardware, includes 2 keys (B)
- 1 Exterior escutcheon plate gasket
- 2 Lug Seal (C)
- 1 Two piece spindle, 5.06" w/2 1/4" panel (D)
- 2 #10-32 x 2 5/8" Phillips oval head machine screws (w/2 1/4" Panel) (E)

Handle Assembly - 2 1/4" Panel		
Color	PN	
Satin Taupe	21448114	
Antique Brass	21448116	
White	21448119	
Satin Chrome	21448112	
Oil Rubbed Bronze	21448111	
Oil Rubbed Bronze PVD	21448118	
Brass PVD	21448160	
Satin Nickel PVD	21448110	
Dark Bronze	21448120	
Polished Chrome	21448117	
Matte Black	21448131	



Interior

Exterior


Handle Assembly, Active, Non-Keyed

Mortise Lock and Multi-Point Lock Systems (Schlage "C" Keyway)

Includes:

- 2 Levers
- 2 Lever bushings (D)
- 2 Lug seals (C)
- 1 Interior escutcheon
- 1 Exterior escutcheon
- 1 Thumb turn with actuator/tail piece (B)
- 1 Two piece spindle, 5.06" w/2 1/4" panel (A)
- 2 $#10-32 \times 25/8"$ Phillips oval head machine screws (w/2 1/4" Panel) (E)
- 2 Set screws
- 1 Allen wrench
- 1 Installation instruction

Handle Assembly - 2 1/4" Panel		
Color	PN	
Satin Taupe	21448174	
Antique Brass	21448180	
White	21448176	
Satin Chrome	21448173	
Oil Rubbed Bronze	21448172	
Oil Rubbed Bronze PVD	21448170	
Brass PVD	21448177	
Satin Nickel PVD	21448181	
Dark Bronze	21448178	
Polished Chrome	21448175	
Matte Black	21448179	




Traditional Handle

Handle Assembly, Inactive/Dummy

Includes:

- 1 Interior lever with spindle, escutcheon plate and hardware
- 1 Exterior lever with escutcheon plate and hardware
- 1 Exterior escutcheon plate gasket
- 1 Exterior escutcheon plate
- 2 Lug seals (A)
- 1 Two piece spindle, 5.06" (w/2 1/4" panel) (B)
- 2 #10-32 x 2 5/8" Phillips oval head machine screws (w/2 1/4" Panel) (C)

Handle Assembly - 2 1/4" Panel		
PN		
1448151		
1448147		
1448150		
1448153		
1448154		
1448145		
1448161		
1448133		
1448162		
1448148		
1448163		



Inactive Panel Interior Inactive Panel Exterior

(A)

Traditional Handle


Thumb Turn, Traditional

For Keyed Handle

Includes:

Thumb Turn Washer Thumb Turn Push Nut

No Tail Piece/Actuator (for keyed handle)		
Color	PN	
Antique Brass	10148483	
Satin Chrome	10148482	
Oil Rubbed Bronze	10148481	
Oil Rubbed Bronze PVD	10148485	
Polished Chrome	10148488	
Brass PVD	10148484	
Satin Nickel PVD	10148487	
Satin Taupe	10148486	
Dark Bronze	10148479	
White	10148489	
Matte Black	10148480	



Thumb Turn, Traditional with Actuator/Tail Piece

For Non-Keyed Handle


Includes:

Actuator/Tailpiece Thumb Turn Washer Thumb Turn Push Nut

With Tail Piece/Actuator (for non-keyed handle)		
Color	PN	
Antique Brass	10148495	
Satin Chrome	10148494	
Oil Rubbed Bronze	10148493	
Oil Rubbed Bronze PVD	10148497	
Polished Chrome	10148500	
Brass PVD	10148496	
Satin Nickel PVD	10148499	
Satin Taupe	10148498	
Dark Bronze	10148491	
White	10148501	
Matte Black	10148492	




Lug Seals



#10-32 x 2 5/8" Phillips Oval Head Machine Screw


Color	PN
Satin Taupe	11800237
Antique Brass	11800234
Satin Chrome	11800233
Polished Chrome	11800239
White	11800240
Oil Rubbed Bronze	11800232
Oil Rubbed Bronze PVD	11800236
Brass PVD	11800235
Satin Nickel PVD	11800238
Dark Bronze	11800231
Matte Black	11800179



3/4" Spindle Extension Kit (Ashland and Truth)

Includes:

- 1 2-piece spindle, 5 1/16"
- 2 Set screws



Lever Bushing, Swinging Handle Set - Traditional


Color	PN
Clear	02062201
Gray	10148448
Gold	10148447
Natural	02062202
Black	10148020

Contemporary Handle, Exterior, Active, Keyed

Includes:

- 1 Handle
- 1 Exterior escutcheon with bushing
- 1 Keyed cylinder, includes 2 keys
- 2 Lug seals
- 1 Spring cartridge
- 1 Set screw
- 1 Installation instruction
- 1 Hex wrench

LH Inswing Panel uses LH PN RH Inswing Panel uses RH PN		
Color	LH PN	RH PN
Matte Black	11870120	11870112
Satin Nickel PVD	11870122	11870114
Oil Rubbed Bronze PVD	11870124	11870116
Dark Bronze	11870126	11870118




LH shown

Contemporary Handle, Interior, Active, Keyed

Includes:

- 1 Handle
- 1 Interior escutcheon with bushings
- 1 Spring cartridge
- 1 Thumb turn
- 2 Machine screws, 2 1/4" Doors
- 2 Machine screws, 1 3/4" Doors
- 1 Split spindle, 2 1/4" Doors
- 1 Split spindle, 1 3/4" Doors
- 1 Set screw
- 1 Installation instruction
- 1 Hex wrench

LH Inswing Panel uses RH PN RH Inswing Panel uses LH PN			
Color	LH PN	RH PN	
Matte Black	11870104	11870097	
Satin Nickel PVD	11870106	11870098	
Oil Rubbed Bronze PVD	11870108	11870100	
Dark Bronze	11870110	11870102	




RH shown

Contemporary Handle, Interior, Active, Non-Keyed

Includes:

- 1 Handle
- 1 Interior escutcheon with bushings
- 1 Spring cartridge
- 1 Thumb turn
- 2 Machine screws, 2 1/4" Doors
- 2 Machine screws, 1 3/4" Doors
- 1 Split spindle, 2 1/4" Doors
- 1 Split spindle, 1 3/4" Doors
- 1 Set screw
- 1 Installation instruction
- 1 Hex wrench

LH Inswing Panel uses RH PN RH Inswing Panel uses LH PN			
Color	LH PN	RH PN	
Matte Black	11870136	11870128	
Satin Nickel PVD	11870138	11870130	
Oil Rubbed Bronze PVD	11870139	11870132	
Dark Bronze	11870143	11870133	






Contemporary Handle, Exterior, Non-Keyed, Inactive/Dummy

Includes:

- 1 Handle
- 1 Exterior escutcheon with bushings
- 2 Lug seals
- 1 Fixing plate
- 1 Set screw
- 1 Installation instruction
- 1 Hex wrench

LH Inswing Panel uses LH PN RH Inswing Panel uses RH PN					
Color	LH PN	RH PN			
Matte Black	11870153	11870145			
Satin Nickel PVD	11870154	11870146			
Oil Rubbed Bronze PVD	11870156	11870148			
Dark Bronze	11870158	11870149			



LH shown

Contemporary Handle, Interior, Inactive/Dummy

1 - Set screw


1 - Hex wrench

1 - Installation instruction

Includes:

- 1 Handle
- 1 Escutcheon with bushing
- 1 Dummy fixing plate
- 1 Spring cartridge
- 2 Machine screws, 2 1/4" Doors
- 2 Machine screws, 1 3/4" Doors
- 1 Split spindle, 2 1/4" Doors
- 1 Split spindle, 1 3/4" Doors

LH Inswing Panel uses RH PN RH Inswing Panel uses LH PN					
Color	LH PN	RH PN			
Matte Black	11870169	11870160			
Satin Nickel PVD	11870171	11870162			
Oil Rubbed Bronze PVD	11870172	11870164			
Dark Bronze	11870174	11870166			




RH shown


Thumb Turn, Contemporary

For Keyed Handle

Includes:

Thumb Turn Washer Thumb Turn Push Nut






Thumb Turn, Contemporary with Actuator/Tail Piece

For Non-Keyed Handle

Includes:


Actuator/Tailpiece Thumb Turn Washer Thumb Turn Push Nut

With Tail Piece/Actuator (for non-keyed handle)				
Color	PN			
Oil Rubbed Bronze PVD	10148497			
Satin Nickel PVD	10148499			
Dark Bronze	10148491			
Matte Black	10148492			



M5 x 65mm Phillips Oval Head Machine Screw

Color	PN
Oil Rubbed Bronze PVD	10148404
Satin Nickel PVD	10148457
Dark Bronze	10148455
Matte Black	11800694



3/4" Handle Extension

Requires 3/4" Spindle Extension

Color	PN
Oil Rubbed Bronze PVD	10148421
Satin Nickel PVD	10148422
Dark Bronze	10148420
Matte Black	10148445

Spindle Kit


Includes:

1 - 2 pc. Spindle

2 - Set screws

NOTE: Longer length spindles are intended for use with the 3/4" Handle Extension.

2 1/4" Panels				
Length	PN			
5 1/8"	10148458			
5 29/32"	10148459			




Spring Cartridge, Swinging Handle Set -Contemporary






Lever Bushing, Swinging Handle Set, Contemporary

	DN
Color	PN
Gray	10148448
Natural	02062202
Black	10148020



Gasket Post





Gasket - Top Backplate





Keyed Cylinder, Lock

(Schlage "C" Keyway) For service replacement only.

Includes:


2 - Keys

NOTE: For Keyed Alike orders, use program C87P2

Polished Chrome, White, Satin Nickel PVD, Matte Black use Chrome Face

Satin Taupe, Antique Brass, Satin Chrome, Oil Rubbed Bronze, Oil Rubbed Bronze PVD, Brass PVD, Dark Bronze use Brass Face

Color	PN
Brass	10830212
Chrome	10830209



Handle Assembly, Active Panel

Includes:


Color

Satin Taupe

- 1 Interior lever with spindle, escutcheon plate and hardware (A)
- 1 Exterior lever with escutcheon plate and hardware (B)
- 1 Thumb turn with hardware (C)
- 1 Keyed cylinder with housing and hardware, includes 2 keys (D)
- 1 Exterior escutcheon plate gasket (E)
- 1 Exterior escutcheon plate (F)
- 1 Two piece spindle (G)
- 2 M5 x 65mm Phillips oval head machine screws (H)
- 1 Interior escutcheon plate (I)

ΡN

- 1 Thumb turn washer (J)
- 1 Thumb turn push nut (K)




Handle Assembly, Inactive

Includes:


Color


- 1 Interior lever with spindle, escutcheon plate and hardware (A)
- 1 Exterior lever with escutcheon plate and hardware (B)
- 1 Exterior escutcheon plate gasket (C)
- 1 Exterior escutcheon plate (D)
- 1 Two piece spindle (E)
- 2 M5 x 65mm Phillips oval head machine screws (F)
- 1 Interior escutcheon plate (G)




3/4" Handle Extension

Requires 3/4" Spindle Extension






M5 x 65mm Phillips Oval Head Machine Screw



NOTE: Always view units from the exterior for handing. H=Hinge location




Hinge Kit, Adjustable

Includes:

- 1 Adjustable hinge
- 1 #10 x 2 1/2" Phillips flat head wood screws (jamb)
- 5 #10 x 3/4" Phillips flat head wood screws (jamb, stationary stile)
- 4 #8 x 1 1/2" Phillips flat head wood screws (panel)

NOTE: Hinge part number includes the color matched screws, If you need to order the screws separately, they are listed below.

Adjustable Hinge Package - C	Matching		
Hinge Color	LH PN	RH PN	Screw Color
Satin Taupe (TP)	02101216	02101227	TP
Goldtone (GT)	02101213	02101224	GT
Silver Frost (SF)	02101218	02101229	Stainless Steel
Dark Bronze (DKBZ)	02101217	02101228	DKBZ
Antique Brass (AB)	02101210	02101221	DKBZ
White (WH)	02101214	02101225	WH
Satin Chrome (SC)	02101212	02101223	Stainless Steel
Oil Rubbed Bronze (ORBZ)	02101219	02101230	DKBZ
Oil Rubbed Bronze PVD (ORBZ)	02101211	02101222	DKBZ
Brass PVD (BS)	02101215	02101226	BS PVD
Satin Nickel (SN) PVD	02101220	02101231	Stainless Steel
Polished Chrome (PC)	02101234	02101235	Stainless Steel
Matte Black (MBK)	02101236	02101237	MBK



LH Hinge

RH Hinge

 \mathcal{O}

0

 \mathcal{O}

 \mathcal{O}

Ø

0'

٢


 \mathcal{O}

Ø

Individual Samou Description	Color and Part Number							
Individual Screw Description	TP	GT	WH	DKBZ	BS PVD	Stainless Steel	Chrome	MBK
#8 x 1 1/2" Phillips flat head wood screws (panel). 4 - per hinge.	11865177	11865172	11865173	02058013	11865176	11865175		11865178
#10 x 3/4" Phillips flat head wood screws (jamb) (stationary stile). 5 -per hinge.	11800674	11800670	11800671	11800669	11800673		11800672	11800677
#10 x 2 1/2" Phillips flat head wood screws (jamb). 1 - per hinge.								
NOTE: Part numbers for these screws are sold in packages of 4 screws and includes 1 - 5/32" Allen wrench. (Long Hinge Screw Package)	11800653	11800632	11800637	11800644	10148185	11800639		11800696

Adjustment Cover, Adjustable Hinge





Hinge 4 1/2" x 4 1/2" Ball Bearing

Includes:

1 - Hinge

6 - #12 x 1" Phillips flat head wood screws


2 - #12 x 2 1/2" Phillips flat head screws

NOTE: Hinge part number includes the color matched screws, If you need to order the screws separately, they are listed below.


Hinge Color	PN			
Stainless Steel	02100162			
Satin Chrome/Brass	02101166			
Bronze/Brass	02101167			
Brass	02101165			
Steel hinge available for Inswing Doors only				
Satin Chrome/Steel	02101163			
Bronze/Steel	02101164			

Screw Description	Color	PN
	Stainless Steel	02056069
#12 x 1" Phillips flat head wood screws	Dark Bronze	02056010
fiedd wood sciews	Brass	02056068
	Stainless Steel	02010311
#12 x 2 1/2" Phillips flat head screws	Dark Bronze	02056067
	Brass	02010310

Hinge Color	Screw Color	
Stainless Steel		SC = US26D
Satin Chrome/Steel	Stainless Steel	
Satin Chrome/Brass		BZ = US10A
Bronze/Steel		BS = US3
	Dark Bronze	SS = US32D
Bronze/Brass		
Brass	Brass	



4 1/2" x 4 1/2" Hinge Shim




Locking Rod Assembly, Multi-Point Lock

Height	Top Locking Rod Length	Color	PN
CN 8-0 ht	51 7/16"	Stainless Steel	05700179
CN 10-0 ht	75 7/16"	Stamless Steel	05700196

Height	Bottom Locking Rod Length	Color	PN
CN 8-0 ht	34 9/32"	Stainless Steel	05700170
CN 10-0 ht	34 7/32	Stamless Steel	03700170

Strike Plate, Sill/Head Jamb


NOTE: Used at sill



#10 x 3" Phillips Flat Head Screws

For Strike Plate, Sill/Head Jamb

Color	PN
Stainless Steel	02056011




Head Strike

RT2 one wide

Includes:

- 1 Strike
- 2 #10 x 3" Phillips flat head screws






Shoot Bolt Guide

Includes:

PN 10815199

- 1 Shoot bolt guide
- 1- #8 x 1 1/2" Phillips pan head wood screw




Sill Bolt, Stationary Panel

Includes:

2- #8 x 3" Phillips flat head wood screw

Color	PN
Zinc Die Cast	11101856




Locking Hardware


Shoot Bolt, Beveled

RT2 one wide






Sill Strike Backer Plate





Stile End Plate

Handing	PN
LH	10148008
RH	10148007



Strike Plate, Jamb and Inactive Panel -Mortise Lock or Multi-Point Lock


Includes:

1 - Jamb strike plate

2 - #8x1" Brass Phillips flat head wood screws

Note: Dark Bronze screws are used with Antique Brass and Oil Rubbed Bronze PVD





Cover Plate, Active Mortise Lock or Multi-Point Lock


Includes:

1 - Cover plate

2 - #8 x 1" Brass Phillips flat head wood screws


Note: Dark Bronze screws are used with Antique Brass and Oil Rubbed Bronze PVD






Mortise Lock, Active Multi-Point Lock


(Latch, dead bolt and head/foot shoot bolts)







Mortise Lock, Inactive Panel Multi-Point Lock

(Head/foot shoot bolts)




Micro Switch Assembly





Tailpiece, Non-keyed, Micro Switch

Color	PN
Stainless Steel	10501844



nread


_ock Status Sensor Parts

Lock Rod, Transmitter Recess, Shoot Bolt

Color	LH PN	RH PN
Brushed Stainless Steel	10501838	10501841
A A A A A A A A A A A A A A A A A A A		R.


Cover, Transmitter


	Color	PN
Brush	ed Stainless Steel	10501822



#8-18 x 1" Type AB, Full Thread


Used for Transmitter Cover Need quantity of 2 for each part






Drain Plug, Sill

Color	PN
Beige	10500253
Bronze	10500249




Head Jamb Spacer Tack; Stationary Panel




Jamb Spacer Tack, Stationary Panel

3/4" Diameter Head



Mull Casing End Plug, Ultimate


Color	LH PN	RH PN
Beige	10500255	10500254
Bronze	10500267	10500266



Threshold Protector


Length	U/M	PN
30"	EA	11869675
	Pkg 20	11869676





4 1/2" x 4 1/2" Hinge Shim Ultimate Frame No longer available, use current part.

Stop clip with screws No longer available, use current part.



Header Reinforcement Bracket No longer available, use current part.


Used prior to 8/31/2009



Hydro-Optimizer Reinforcement, Inswing, A1222

Length	Color	PN
144"	Beige	18548499
	Bronze	18548399


- 1. Profile number;
- 2. rough opening;
- 3. length;
- 4. handing;
- 5. finish (where applicable).



Hydro-Optimizer, A1251 Available in Beige or Bronze



Head Jamb/Jamb Parting Stop, A836




Astragal Cladding, A772



Mullion Casing Base, A771

- 1. Profile number;
- 2. rough opening;
- 3. length;
- 4. handing;
- 5. finish (where applicable).




Ultrex Sill, 4 9/16" Jamb, Inswing, F256 Available in Beige or Bronze




Ultrex Sill, 6 9/16" Jamb, F257 Available in Beige or Bronze


- 1. Profile number;
- 2. Rough opening;
- 3. Length;
- 4. Handing;
- 5. Finish (where applicable),



Glazing Cap, W9949




Astragal Cover and Transom Mull Cover, W7554




Mull Casing, W8775

Sill Liner (Oak), W8661




First Mull Casing and Astragal, W1455



Head Jamb/Jamb Parting Stop, W6535

- 1. Profile number;
- 2. Rough opening;
- 3. Length;
- 4. Handing;
- 5. Finish (where applicable),




Glazing Cap Used prior to May 2008, W4019

Vinyl Parts

Connecting Barb

V803

LengthPNSpecify Length15812999



When ordering replacement parts, specify:

- 1. Profile number;
- 2. Rough opening;
- 3. Length;
- 4. Handing;
- 5. Finish (where applicable),



Panel Drip, Inswing, V940 Available in Beige or Black


Ultimate Inswing French Door 2 1/4inch Arch Top

Stationary Panel Drip/Sill Spacer, Inswing, V941 Available in Beige or Black

Weather Strip, Frame


V1707


Length	Color	PN
120"	Beige	11191299
	Black	11191399




Dust Block, Part Stop


1 3/8" x 3/8" x 1/2"






Small Corner Seal





Dust Block, Astragal or Panel


1 3/8" x 1/4" x 1/2"



Flex-Bulb Weather Strip, Sill

V794

Length	Color	PN
92 3/4"	Beige	15180780
164 3/4"	Beige	15180798
164 3/4"	Black	15180799




Offset Bulb Weather Strip

V796

Parting Stop, Frame, Mull Casing, Transom and Astragal


Length	Color	PN
75 43/64"	Beige	15170866
75 45/04	Black	15170867
104 7/8"	Beige	15170090
104 //8	Black	15170091
115 41// 4"	Beige	15170810
115 41/64"	Black	15170811
189 11/16"	Beige	15173298
	Black	15173398



Inactive Panel Stile Center

V780


Length	Color	PN
150"	Beige	15174099
	Black	15174098



Weather Strip, Stile

V020

Length	Beige PN	Black PN
79 9/16"	11197968	N/A
92 15/16"	11197982	N/A
150"	11197999	11197998





Weather Strip, Frame No longer available, use current part. Used: Pre 3-30-2009

Panel Replacement

NOTE: Weather strip is included with all panels (where applicable).

- 1. OM of panel (NOTE: OM of panel does not include astragal, mull casing or sweep);
- 2. Active, Inactive or Stationary;
 - a. Active comes prepped for multi-point mortise lock and standard Marvin handle set. If Marvin Architectural Hardware prep is needed, specify brand.
 - b. Inactive comes prepped for multi-point lock and standard Marvin handle-set. If Marvin Architectural Hardware prep is needed, specify brand.
 - c. Stationary specify configuration and astragal or mull casing (if applicable).
 - d. Panel style
- 3. Handing;
- 4. Glazing;
- 5. Finish;
- 6. Glazing bead profile;
 - a. bevel
 - b. square.
 - Active panels include panel sweep and multi-point mortise lock system.
 - Inactive panels include sweep, astragal, and multi-point lock system.
 - Stationary 1 wide panels include panel sweep.

