

## Replacement Parts

Specifications and technical data are subject to change without notice.

Numbers listed in ( ) parentheses are metric equivalents in millimeters rounded to the nearest whole number.


Suggested fasteners are not included and must be ordered separately.

Illustrations are not to scale.

## Contents

Product History.....	2
Part Identification - Operator Panel .....	3
Part Identification - X .....	4
Part Identification - Stationary Meeting Stile .....	5
Part Identification - XO .....	6
Part Identification - Low Profile Sill - XO .....	7
Part Identification - Performance Sill - XO .....	8
Part Identification - XX.....	9
Part Identification - Low Profile Sill - XX .....	10
Part Identification - Performance Sill - XX .....	11
Installation Parts.....	12
Installation Parts - Fabricated .....	15
Installation Tools .....	16
Trimsets .....	17
Locking Hardware .....	19
Hinges.....	24
Miscellaneous Parts .....	25
CLiC Glass Parts .....	29
CLiC Glass Aluminum Parts - Configured Parts in OMS .....	31
CLiC Glass Vinyl Parts - Configured Parts in OMS .....	32
CLiC Glass Parts - Discontinued No Availability (NA) .....	33
Aluminum Parts .....	34
Aluminum Parts - Fabricated .....	39
Vinyl Parts.....	42
Vinyl Parts - Fabricated .....	44
Weather Strip .....	45
Weather Strip - Fabricated .....	48
Screen Handing Diagram.....	49
SE2 Retractable Screen Parts.....	50


Produced	Unit Type	Features and Changes
2021	Modern Inswing Door	04-26-2021: Introduced Modern Inswing Door.
2023	Modern Inswing Door	10/30/2023: An ERS coating became available as a standard option for current Triple Pane offerings. See Product Bulletin 904 for more details.




1. Panel Corner Cover
2. Hinge Escutcheon
3. Panel Alignment Bolt Receiver
4. Shoot Bolt Guide
5. Trimset (select parts also available individually)
6. Shoot Bolt Rod




1. Head Jamb Strike
2. Interior Frame Liner, V3053
3. Jamb Strike Plate
4. Sill Strike (X)
5. Hinge
6. Hinge Backer, Jamb
7. Panel Alignment Bolt




1. Stationary Panel Pin
2. Sill Bolt, Stationary
3. Weather Strip, Astragal/Frame, V3055
4. Astragal Base, A3530
5. Astragal Cover, A3531
6. Astragal Cap
7. Dust Block (Astragal Cap)
8. Center Stationary Bracket Kit (used on OX/XO)



1. Stationary Bracket
2. Weather Strip (frame/astragal), V3054
3. Weather Strip (frame/astragal), V3055
4. Interior Frame Liner, V3053
5. Panel Alignment Bolt
6. Hinge
7. Head Jamb Strike Plate, Double




1. Weather Strip (Low Profile Sill), V3106
2. Interior Sill Cover, A3521
3. Low Profile Sill Cover Support, V3102
4. Low Profile Sill Key Cover
5. Weep Tube Outlet (optional)
6. Weep
7. Low Profile Sill Cover, A3523
8. Sill Support, A3520 (Installation only)
9. Sill Strike, X




1. Interior Sill Cover, A3521
2. Weather Strip, V3092
3. Performance Sill Corner Key Gasket
4. Weep
5. Weep Tube Outlet (optional)
6. Weather Strip, V3092
7. Performance Sill Cover, A3522
8. Sill Support, A3520 (Installation only)
9. Sill Strike, X






1. Panel Alignment Bolt
2. Weather Strip (frame/astagal), V3054
3. Weather Strip (frame/astagal), V3055
4. Interior Frame Liner, V3053
5. Hinge Backer
6. Hinge
7. Head Jamb Strike Plate, Double



1. Weather Strip (Low Profile Sill), V3106
2. Interior Sill Cover, A3521
3. Low Profile Sill Cover Support, V3102
4. Low Profile Sill Key Cover
5. Weep
6. Weep Tube Outlet (optional)
7. Low Profile Sill Cover, A3523
8. Sill Support, A3520 (Installation only)
9. Sill Strike, Double




1. Interior Sill Cover, A3521
2. Weather Strip, V3092
3. Performance Sill Corner Key Gasket
4. Weep Tube Outlet (optional)
5. Weep
6. Weather Strip, V3092
7. Performance Sill Cover, A3522
8. Sill Support, A3520 (Installation only)
9. Sill Strike, Double

## Lower Jamb Key, LH

Usage dates:

4/26/2021 to present

Handing	Color	PN
LH	Black	11860531




## Lower Jamb Key, RH

Usage dates:

4/26/2021 to present

Handing	Color	PN
RH	Black	11860532




## Saddle Sill Key

Usage dates:

4/26/2021 to present

Handing	Color	PN
LH	Black	10501749
RH		10501748




## Saddle Sill Jamb Gasket

Usage dates:

4/26/2021 to present


Color	PN
Black	10815727



## Interior Flat Shim

Adhesive backed

Qty	PN
Pkg of 20	11102180



## Corner Key Extension

**Usage dates:**

4/26/2021 to present

Color	PN
Black	10501473



## Sill Support

A3520

**Usage dates:**

4/26/2021 to present

Length	PN
200" (5080)	18876856



## Head Jamb Key Kit


**Includes:**

- 4 - #8-16 x 3/8", THRF, full thread, Phillips, flat head screws
- 8 - #8-18 x 1", Type AB, full thread screws

**Usage dates:**

4/26/2021 to present

Color	PN
Black	11862323



## Hinge Backer, Jamb

**Usage dates:**

4/26/2021 to present

PN
11843026



## Saddle Sill Install Screw Kit

**Includes:**

3 - #10 x 1 1/2", Flat Head, Phillips, Full Thread Screws

PN
11862367




## Sill to Jamb Screw Kit

**Includes:**

6 - #8 x 1 3/4", Tek-2, pan head screws, full thread, stainless steel screws

PN
11862348




## Strike Install Screw Kit

**Includes:**

4 - #8-15 x 3" Type A/TF, 2/3 thread


Stainless Steel PN	Black PN
11862346	11862347



## Installation Parts

### Ordering specifications (use all that apply):

1. Original order number/line number (if available);
2. profile;
3. length;
4. handing;
5. color.



**Sill Support, A3520**

Usage Dates: 4/26/2021 to present

## Installation Tools Kit

**Includes:**


- 1 - Short arm Allen wrench, M3
- 1 - Short arm Allen wrench, M6

PN
11862830

No Illustration Available

## Construction Handle

PN
10830451






## Active Trimset

NOTE: Keyed Cylinder must be ordered separately

### Usage dates:

4/26/2021 to present

Color	PN
Matte Black	10501760
Matte Bronze	10501761
Satin Nickel	10501762
Silver	10501763
Stone White	10501764



## Exterior Gasket, Trimset

### Usage dates:

4/26/2021 to present

Color	PN
Black	10501776




## Passive Trimset

### Usage dates:

4/26/2021 to present

Color	PN
Matte Black	10501765
Matte Bronze	10501766
Satin Nickel	10501767
Silver	10501768
Stone White	10501769



## Keyed Cylinder, Active Trimset

### Includes:


2 keys

NOTE: For keyed alike cylinders, please contact your Marvin representative. Please supply the original order number, if available.

### Usage dates:

4/26/2021 to present

PN
10830289



## Thumb Turn Fastener Kit


**Includes:**

- 2 - Self tapping screws
- 1 - M5 machine screw
- 1 - Base
- 1 - Detent washer

**Usage dates:**

4/26/2021 to present

PN
10501777



## Spindle Kit, Trimset


**Includes:**

- 4 - Self tapping screws
- 2 - Set screws
- 1 - Split spindle
- 1 - Hex wrench
- 1 - Spring Cartridge
- 2 - Bushings

**Usage dates:**

4/26/2021 to present


PN
10501778



## Gear Box, 35mm, Active, .625

Usage dates:  
4/26/2021 to present


PN
10501655



## Latch Bolt

Usage dates:  
4/26/2021 to present


PN
10501929



## Gear Box, 35mm, Passive

Usage dates:  
4/26/2021 to present

PN
10501913



## Cover Plate, Active Multipoint Lock

Usage dates:  
4/26/2021 to present

Color	PN
Matte Black	11841984
Stainless Steel	11841982




## Center Stationary Bracket Kit

Includes:  
2 - #8-15 x 1/2" Type AB, Phillips, flat head screws

Usage dates:  
4/26/2021 to present

Color	PN
Matte Black	11862338
Stainless Steel	11862339



## Shoot Bolt Rod

**Usage dates:**

4/26/2021 to present

Lower Shoot Bolt Rod	
Length	PN
33.55" (852.17)	11843005

Upper Shoot Bolt Rod	
Length	PN
52.948" (1344.88)	11843006
76.948" (1954.48)	11843007
101.793" (2585.54)	11843008



## Shoot Bolt Guide

**Includes:**

1 - #10-16 x 1 1/2", P2, Phillips full thread, TEK 3 screws

**Usage dates:**

4/26/2021 to present

Color	Handing	PN
Black	A	11862371
	B	11862372



## Panel Alignment Bolt Kit


### Includes:

4 - #8-15 X 3" Type A/TF, 2/3 thread

### Usage dates:

4/26/2021 to present

Color	PN
Black	11862324




## Panel Alignment Bolt Receiver

### Usage dates:

4/26/2021 to present

Color	PN
Black	11843019



## Jamb Strike Plate Kit

### Includes:

1 - #8-15 x 1/2" AB, Phillips flat head, UC screw

2 - #8-15 x 3" Type AT/F, 2/3 thread screws

### Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11862358
Stainless Steel	11862357




## Sill Strike, Saddle Sill

### Usage dates:

4/26/2021 to present

Color	PN
Bronze	11869840



## Head Jamb Strike Kit, Single

**Includes:**

- 1 - #8-15 x 1/2" AB, Phillips flat head, UC screw
- 4 - #8-15 x 3" Type AT/F, 2/3 thread screws

**Usage dates:**

4/26/2021 to present

Color	Door Handing	PN
Matte Black	LH	11862342
	RH	11862343
Stainless Steel	LH	11862329
	RH	11862341



LH shown

## Head Jamb Strike Kit, Double

**Includes:**

- 2 - #8-15 x 1/2" AB, Phillips flat head, UC screw
- 2 - #8-15 x 3" Type AT/F, 2/3 thread screws

**Usage dates:**

4/26/2021 to present

Color	PN
Matte Black	11862360
Stainless Steel	11862359



## Panel Strike Plate Kit


**Includes:**

- 5 - #8-15 X .500 Type AB, Phillips, flat head, UC screws

**Usage dates:**

4/26/2021 to present

Color	PN
Matte Black	11862356
Stainless Steel	11862355



## Sill Bolt, Stationary

**Includes:**

- 2 - #10-16 x 1 1/2", P2, Phillips full thread, Tek-3 screws

**Usage dates:**

4/26/2021 to present

Color	PN
Black	11862379



## Sill Strike Kit, Single, X, XO/OX


**Includes:**

2 - #8-15 x 1/2" AB, Phillips flat head, UC screws

**Usage dates:**

4/26/2021 to present

Color	PN
Matte Black	11862340
Stainless Steel	11862327



## Sill Strike Kit, Double, XX


**Includes:**

3 - #8-15 x 1/2" AB, Phillips flat head, UC screws

**Usage dates:**

4/26/2021 to present

Color	PN
Matte Black	11862337
Stainless Steel	11862328



## Sill Bolt Kit, Saddle Sill


**Includes:**

2 - #10-16 x 1 1/2" P2, Phillips head, full thread Tek 3 screws


**Usage dates:**

4/26/2021 to present


Color	Handing	PN
Black	Center	11862380
	LH	11862381
	RH	11862382



LH



Center



RH

## Hinge

### Includes color matched screws:

- 9 - #10-24 x 1 1/2" Phillips flat head screws
- 7 - #10-24 x 7/8" Phillips flat head screws
- 3 - #10-12 x 3" 2/3 thread screw

### Usage dates:

4/26/2021 to present

Color	LH PN	RH PN
Matte Black	11862779	11862780
Matte Bronze	11862781	11862782
Satin Nickel	11862783	11862784
Silver	11862785	11862786
Stone White	11862787	11862788



RH shown

## Hinge Installation Screw Kit

### Includes:

- 8 - #10-12 x 3", 2/3 thread Phillips flat head screws
- 1 - Package of 18 #10-24 x 1 1/2" Phillips flat head screws

### Usage dates:

4/26/2021 to present

Color	Used with Hinge Color	PN
Black	Matte Black, Matte Bronze	11862335
Stone White	Stone White	11862332
Stainless Steel	Satin Nickel, Silver	11862333



## Hinge Screw Kit, Jamb

### Includes:

- 16 - #10-24 x 7/8" Phillips flat head screws

NOTE: Screws are used to attach hinge to the jamb

### Usage dates:

4/26/2021 to present

Color	Used with Hinge Color	PN
Black	Matte Black, Matte Bronze	11862773
Stainless Steel	Satin Nickel, Silver	11862774
Stone White	Stone White	11862775



## Hinge Escutcheon

### Usage dates:

4/26/2021 to present

Color	PN
Matte Black	11841921
Dark Bronze	11841922
Satin Nickel	11841923
Silver	11841924
Stone White	11841925



Suggested Fasteners		
2 - #8-15 x 1/2" Type AB, Phillips flat head, UC screw	Color	PN
	Natural	11800541
	Black	11800545
	White	11800546




Panel Corner Cover

Includes:  
1 - #8 x 1", TEK 3, full thread, Phillips pan head, Stainless Steel

Usage dates:  
4/26/2021 to present


Color	Handing	PN
Black	A	11862373
	B	11862374



Performance Sill Corner Key Gasket, Pair

Usage dates:  
4/26/2021 to present

Color	Pair PN
Black	10815723




## Astragal Cap

### Usage dates:

4/26/2021 to present

Color	Handing	PN
Black	A	10501714
	B	10501713



## Dust Block, Astragal Cap

### Usage dates:

4/26/2021 to present

Color	PN
Black	10500409



## Dust Block

Used: Jamb to Low Profile or Saddle Sill

### Usage dates:

4/26/2021 to present

PN
10500464



## Gasket, Jamb to Performance Sill

### Usage dates:

4/26/2021 to present

Color	LH PN	RH PN
Black	10815725	10815726



LH shown

## Weep

### Usage dates:

4/26/2021 to present

Color	PN
Black	11843020



## Weep Tube Outlet

### Usage dates:

4/26/2021 to present

Color	PN	Pkg/2 PN
Black	11843021	11862326



## Stationary Bracket Kit

### Includes:

1 - #10 x 3", Phillips, flat head screw

### Usage dates:

4/26/2021 to present

Color	LH PN	RH PN
Black	11862330	11862331




LH shown

## Stationary Bracket Wrench

### Usage dates:

4/26/2021 to present

PN
11861183



## Stationary Pin

**Includes:**

1 - #10-16 x 1 1/2", P2, Phillips full thread, TEK 3 screws

**Usage dates:**

4/26/2021 to present

Color	PN
Black	11862375



## Low Profile Sill Key Cover

**Usage dates:**

4/26/2021 to present

Color	Handing	PN
Black	LH	11860533
	RH	11860534



RH shown

## CLiC Single Channel Controller, Gen II Kit

- Includes:**  
1 - Next Gen Controller  
1 - Power Supply

PN
10700338




## CLiC, 8-Channel Smart Hub, Controller

PN
10700298




## LSS/CLiC Transmitter Housing

PN
10501920




PT Housing, Panel

PN
10501633



CLiC Power Transfer


PN
10702968




CLiC Power Transfer Kit


- Includes:**
- 2 - Mull fastener 1 3/16" Trilobular
  - 1 - M4, .7 x 8mm, Phillips, flat head, stainless steel screw
  - 2 - #8-15 x 3" Type A/TF, 2/3 thread, matte black screws
  - 2 - #6-18, 3/4", full thread, stainless steel, black screws

PN
11861031







**A3315**

Mull Cover, w/CLiC Route

**A3316**

Trim, Interior, Vertical, w/CLiC Route

**A3512**Mull Cover, Interior, 2" x 4", Vertical  
Jamb, w/CLiC Route**A3513**Mull Cover, Interior, 5" x 4", Vertical  
Jamb, w/CLiC Route**A3567**Mull Cover, Interior, 4 1/2", Vertical,  
w/CLiC Route



**V3099**  
Cover, Hinge Stile





**CLiC Glass Controller, Single Channel, Kit**  
 Replace with current part



**CLiC Glass Controller, 8-Channel Hub**  
 Replace with current part

15/16” Stile Clad

A3532

Usage dates:

4/26/2021 to present

Length	Color	PN
200” (5080)	Bronze	18820210
	Ebony	18820200
	Gunmetal	18820220
	Stone White	18820215
	Clear Anodized	18820205



1 1/4” Stile Clad

A3686

Usage dates:

4/26/2021 to present

Length	Color	PN
200” (5080)	Bronze	11876760
	Ebony	11876750
	Gunmetal	11876770
	Stone White	11876765
	Clear Anodized	11876755



## Astragal Base

A3530

**Usage dates:**

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	18877005



## Astragal Cover

A3531

**Usage dates:**

4/26/2021 to present

Length	Color	PN
200" (5080)	Bronze	18876660
	Ebony	18876650
	Gunmetal	18876670
	Stone White	18876665
	Clear Anodized	18876655




## Center Jamb Screen Astragal Cover

A3703

**Usage dates:**

4/26/2021 to present

Length	Color	PN
200" (5080)	Bronze	18877160
	Ebony	18877150
	Gunmetal	18877170
	Stone White	18877165
	Clear Anodized	18877155



## Interior Sill Cover

A3521

**Usage dates:**

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	18876875
	Bronze	18876885



Low Profile Sill Cover

A3523

Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	18876925
	Bronze	18876935



Performance Sill Cover

A3522

Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	11876900
	Bronze	18876910




Bottom Hinge Jamb/Frame Cladding

A3505

Usage dates:

4/26/2021 to present

Color	Length	PN	Length	PN
Bronze	200" (5080)	11820110	2.247" (57)	11867060
Ebony		11820100		11867065
Gunmetal		11820120		11867070
Stone White		11820115		11867075
Clear Anodized		11820105		11867080



Screen Drip Cap

A3739

Usage dates:

4/26/2021 to present

Length	Color	PN
100" (2540)	Bronze	18877215
	Ebony	18877220
	Gunmetal	18877205
	Stone White	18877210
	Silver	18877200



**Ordering specifications (use all that apply):**

1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color



**15/16" Locking Stile Clad, A3533**

Usage Dates: 4/26/2021 to present



**15/16" Stile Clad, A3532**

Usage Dates: 4/26/2021 to present



**1 1/4" Locking Stile Clad, A3685**

Usage Dates: 4/26/2021 to present



**1 1/4" Stile Clad, A3686**

Usage Dates: 4/26/2021 to present

## Ordering specifications (use all that apply):

1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color




**Astragal Base, A3530**

Usage Dates: 4/26/2021 to present



**Astragal Cover, A3531**

Usage Dates: 4/26/2021 to present



**Center Jamb Screen Astragal Cover, A3703**

Usage Dates: 4/26/2021 to present



**Frame Cladding, A3505**

Usage Dates: 4/26/2021 to present



**Ordering specifications (use all that apply):**

1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color



**Low Profile Sill Cover, A3523**

Usage Dates: 4/26/2021 to present



**Performance Sill Cover, A3522**

Usage Dates: 4/26/2021 to present



**Frame Cladding, A3505**

Usage Dates: 4/26/2021 to present

# Interior Glazing Seal

V2949

## Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	16219235



# Hinge Stile Cover

V3099

## Usage dates:

4/26/2021 to present

Length	Color	PN
18 61/64" (481)	Black	16219618
150" (3810)		16219699




## Interior Frame Liner

V3053

**Usage dates:**

4/26/2021 to present

Color	Length	PN
Black	2 19/64" (57)	16219702
	18 9/16" (472)	16219718
	33 3/8" (848)	16219733
	200" (5080)	16219799




## Low Profile Sill Cover Support

V3102

**Usage dates:**

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	16219815



**Ordering specifications (use all that apply):**

1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color



**Hinge Stile Cover, V3099**

Usage Dates: 4/26/2021 to present

# Weather Strip


V3055

Used on Frame and Astragal

## Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	16219806



# Weather Strip

V3054

Used on Frame and Astragal

## Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	16219800



# Pile, Saddle Sill

## Usage dates:

4/26/2021 to present

Length	Color	PN
Specify length	Black	10815729



# Weather Strip

V3092

Used on High Performance Sill

## Usage dates:

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	16219810



# Weather Strip

V3106

Used with Low Profile Sill

**Usage dates:**

4/26/2021 to present

Length	Color	PN
200" (5080)	Black	16219820




**Ordering specifications (use all that apply):**

1. Original order number/line number (if available)
2. Profile
3. Length
4. Handing
5. Color



**Saddle Sill Sweep Assembly**







Usage Dates: 4/26/2021 to present



**V3142, Saddle Sill Weather Strip  
Carrier, Stationary**


Usage Dates: 4/26/2021 to present



Screen	Outside Building	Left Hand Screen	Right Hand Screen
		<p>Inside</p> <p>P1   P2</p> <p>Outside</p>	<p>Inside</p> <p>P1   P2</p> <p>Outside</p>
Double Screen	Outside Building	<p>Inside</p> <p>P1   P2</p> <p>Outside</p>	

## Ordering specifications (use all that apply):


1. Original order number/line number (if available)
2. Total rough opening
3. Part length
4. Handing
5. Finish/color (if applicable)



### Head Jamb

Colors: Clear Anodized, Gunmetal, Stone White, Bronze and Ebony

Usage Dates: 4/26/2021 to present




### Head Cover Assembly

Colors: Clear Anodized, Gunmetal, Stone White, Bronze and Ebony

Usage Dates: 4/26/2021 to present

## Ordering specifications (use all that apply):


1. Original order number/line number (if available)
2. Total rough opening
3. Part length
4. Handing
5. Finish/color (if applicable)



### Sill

Colors: Bronze and Ebony

Usage Dates: 4/26/2021 to present



### Sill Cover Assembly

Colors: Bronze and Ebony

Usage Dates: 4/26/2021 to present




### Sill Cover, Short End P1 or P2

Colors: Bronze and Ebony

Usage Dates: 4/26/2021 to present

### Ordering specifications (use all that apply):


1. Original order number/line number (if available)
2. Total rough opening
3. Part length
4. Handing
5. Finish/color (if applicable)



**Sill Riser**

Colors: Bronze and Ebony

Usage Dates: 4/26/2021 to present




**Sill Riser End Cap**

Colors: Black

Usage Dates: 4/26/2021 to present

## Ordering specifications (use all that apply):


1. Original order number/line number (if available)
2. Total rough opening
3. Part length
4. Handing
5. Finish/color (if applicable)



### Jamb Cover, Screen Roll side

Colors: Clear Anodized, Gunmetal, Stone  
White, Bronze and Ebony

Usage Dates: 4/26/2021 to present




### Jamb Cover with Magnet

Colors: Clear Anodized, Gunmetal, Stone  
White, Bronze and Ebony

Usage Dates: 4/26/2021 to present

## Ordering specifications (use all that apply):

1. Original order number/line number (if available)
2. Total rough opening
3. Part length
4. Handing
5. Finish/color (if applicable)



**Cone Assembly P1 or P2**


Usage Dates: 4/26/2021 to present

No illustration available

**Cable**

Colors: Black, Red, Yellow, Green

Usage Dates: 4/26/2021 to present



**Screen Roll Assembly,  
Standard Weave P1 or P2**

Usage Dates: 4/26/2021 to present